

CITY OF HIGH POINT

AGENDA ITEM



TITLE: Contract Purchase for Freightliner M2-106 Plus	
FROM: Thomas Reid, Fire Chief	MEETING DATE: February 5, 2024
PUBLIC HEARING: n/a	ADVERTISED DATE/BY: n/a
ATTACHMENTS: Excel Truck Group -NCSA Contract #24-08-0421	

PURPOSE:

High Point Fire Department request replacement of a 2006 Freightliner M2-106 Road Chassis.

BACKGROUND:

In accordance with National Fire Protection Association (NFPA) 1901, Standard Automotive Fire Apparatus, the City of High Point adopted a 15-year Fleet Replacement Plan for fire apparatus.

High Point Fire Department has a 2006 M2 106 Plus Freightliner serving as the road tractor for the Hazardous Materials Response Team that needs replacement due to age, hours, and maintenance ability to locate parts for the command center.

Upon delivery of the new Freightliner M2 106 Plus, the 2006 Freightliner will be transferred to reserve status.

The 2024 Freightliner M2 106 Plus has a purchase price of \$156,642.00.

BUDGET IMPACT:

Funding is available in the 2023-2024 budget appropriated by City Council.

RECOMMENDATION/ACTION REQUESTED:

Using the NC Sherriff's Association (NCSA) procurement contract, the High Point Fire Department request Council's approval for purchase of a 2024 Freightliner M2 106 Plus from Excel Truck Group in the amount of \$156,642.00 and that the appropriate City official and/or employee be authorized to execute all necessary documents. Once receipt of purchase order, the expected delivery could range from 18 to 24 months.



CITY OF HIGH POINT AGENDA ITEM



FINANCIAL SERVICES
Purchasing Division



BID RECOMMENDATION

DEPARTMENT **Fire Department**

COUNCIL AGENDA DATE: **February 5, 2024**

BID NO. **N/A** CONTRACT NO. **NCSA#24-08-0421** DATE OPEN: **N/A**

DESCRIPTION:

Freightliner M2 106 Plus Hazmat Chassis

PURPOSE:

High Point Fire Department request replacement of a 2006 Freightliner M2-106 Road Chassis.

COMMENTS:

Using the NC Sherriff's Association (NCSA) procurement contract, the High Point Fire Department request Council's approval for purchase of a 2024 Freightliner M2 106 Plus from Excel Truck Group in the amount of \$156,642.00 and that the appropriate City official and/or employee be authorized to execute all necessary documents. Once receipt of purchase order, the expected delivery could range from 18 to 24 months.

RECOMMEND AWARD TO: **Excel Truck Group** AMOUNT: **\$156,642.00**

JUSTIFICATION:

High Point Fire Department has a 2006 M2 106 Plus Freightliner serving as the road tractor for the Hazardous Materials Response Team that needs replacement due to age, hours, and maintenance ability to locate parts for the command center.

ACCOUNTING UNIT	ACCOUNT	ACTIVITY	CATEGORY	BUDGETED AMOUNT
401350	533101			156,642.00
TOTAL BUDGETED AMOUNT				

DEPARTMENT HEAD: **Thomas Reid** Digitally signed by Thomas Reid
DN: cn=Thomas Reid, o=City of High Point, ou=High Point Fire Department, email=thomas.reid@highpointnc.gov, c=US
Date: 2024.01.25 13:35:01 -0500 DATE: **January 25, 2024**

The Purchasing Division concurs with recommendation submitted by the **Fire Department** and recommends award to the lowest responsible, responsive bidder **Excel Truck Group** in the amount of **\$156,642.00**.

PURCHASING MANAGER: **Candy E. Harmon** Digitally signed by Candy E. Harmon
Date: 2024.01.25 13:47:43 -0500 DATE: **1/25/24**

Approved for Submission to
Council

FINANCIAL SERVICES DIRECTOR: **Bobby Fitzjohn** Digitally signed by Bobby Fitzjohn
Date: 2024.01.25 14:12:15 -0500 DATE:

CITY MANAGER: DATE:
(For City Council Approval Only)

Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106


Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

A proposal for
NC SHERIFFS ASSOCIATION
City of High Point

Prepared by
EXCEL TRUCK GROUP
Tony Lyerly

Jan 01, 2024

Freightliner M2 106 Plus



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Q U O T A T I O N

M2 106 PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRACTOR
CUM L9 330EV HP @ 2200 RPM, 2200 GOV RPM, 1000
LB-FT @ 1200 RPM, R/F/E
ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH
PTO PROVISION
RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
23,000# FLAT LEAF SPRING REAR SUSPENSION WITH
HELPER AND RADIUS ROD
DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE

12,000# DUAL TAPERLEAF FRONT SUSPENSION
154 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL
CREW CAB
4825MM (190 INCH) WHEELBASE
FONTAINE 7000 SERIES 7PML FLAT PLATE MOUNT
STATIONARY FIFTH WHEEL
11/32X3-1/2X10-3/16 INCH STEEL FRAME
(8.73MMX258.8MM/0.344X10.19 INCH) 120KSI
950MM (37 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	111,487	\$	111,487
EXTENDED WARRANTY		\$	115	\$	115
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	111,602	\$	111,602
TAXES AND FEES					
FEDERAL EXCISE TAX (FET)		\$	(151)	\$	(151)
SHERIFF FEES		\$	837	\$	837
OTHER CHARGES		\$	0	\$	0
TRADE-IN					
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)
BALANCE DUE	(LOCAL CURRENCY)	\$	112,288	\$	112,288

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110




Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model M2106
Wheelbase (545) 4825MM (190 INCH) WHEELBASE
Rear Frame Overhang (552) 950MM (37 INCH) REAR FRAME OVERHANG
Fifth Wheel (578) FONTAINE 7000 SERIES 7PML FLAT PLATE MOUNT STATIONARY FIFTH WHEEL
Mounting Location (577) FIFTH WHEEL 203MM (08.0 INCHES) AHEAD OF SUSPENSION CENTERLINE
Maximum Forward Position (in) 8
Maximum Rearward Position (in) 8
Amount of Slide Travel (in) 0
Slide Increment (in) 0
Desired Slide Position (in) 8.0
Cab Size (829) 154 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB
Sleeper (682) NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016) RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE

TABLE SUMMARY - DIMENSIONS



Prepared for:
 Jason Bennett
 NC SHERIFFS ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
 Tony Lyerly
 EXCEL TRUCK GROUP.
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Dimensions	Inches
Bumper to Back of Cab (BBC)	153.5
Bumper to Centerline of Front Axle (BA)	40.7
Front Axle to Back of Cab (AC)	112.8
Back of Cab to Centerline of Rear Axle(s) (CA)	77.2
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	73.0
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4.2
Back of Cab to End of Frame	114.6
Cab Height (CH)	74.5
Fifth Wheel to Centerline of Rear Axle(s) (FW)	8.0
Wheelbase (WB)	190.0
Frame Overhang (OH)	37.4
Overall Frame Length	266.3
Overall Length (OAL)	268.1
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	40.5

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-28M	M2 PRL-28M (EFF:MY25 ORDERS)			STD
Data Version				
DRL-024	SPECPRO21 DATA RELEASE VER 024			N/C
Vehicle Configuration				
001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	\$114,401.00
004-225	2025 MODEL YEAR SPECIFIED			STD
002-002	SET BACK AXLE - TRACTOR	20		\$3,606.00
019-005	TRAILER TOWING PROVISION FORWARD OF FIFTH WHEEL	5	5	N/C
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-001	TRACTOR/TRAILER CONFIGURATION			N/C
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			N/C
99D-021	EPA EMISSIONS CERTIFICATION FOR 50 STATE REGISTRATION - CARB EXEMPT, FIRE AND EMERGENCY VEHICLES ONLY (INCLUDES 6X4 INCH LABEL SHIPPED LOOSE)			N/C
AF2-998	NO STATE/PROVINCE INITIAL REGISTRATION SELECTED			N/C
A85-006	RESCUE AND EMERGENCY SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-011	FIXED LOAD COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 35000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs			
Truck Service				
AF3-2CR	TRACTOR ONLY WITH NO BODY UPFIT			N/C
Tractor Service				
AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C
Engine				
101-3BY	CUM L9 330EV HP @ 2200 RPM, 2200 GOV RPM, 1000 LB-FT @ 1200 RPM, R/F/E	640	30	\$13,196.00
Electronic Parameters				
79A-075	75 MPH ROAD SPEED LIMIT			N/C
79B-018	CRUISE CONTROL SPEED LIMIT 5 MPH HIGHER THAN ROAD SPEED LIMIT			N/C
79F-004	CUMMINS TRIP INFORMATION REPORTS ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE ROAD SPEED LIMIT			N/C
79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-001	PTO SPEED 1 SETTING - 700 RPM			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
N 80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION			N/C
Engine Equipment				
99C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
014-1BX	SIDE OF HOOD AIR INTAKE WITH NFPA COMPLIANT EMBER SCREEN AND FIRE RETARDANT DONALDSON AIR CLEANER			\$102.00
124-114	LN 12V 280 AMP BLP4009 BRUSHLESS PAD ALTERNATOR WITH REMOTE SENSE AND LAMP TERMINAL	10		\$637.00
292-206	(3) DTNA GENUINE, FLOODED STARTING, MIN 2850CCA, 525RC, THREADED STUD BATTERIES	40	20	\$263.00
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			N/C
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-039	GVG, FIRE AND EMERGENCY SERVICE VEHICLES ENGINE WARNING			N/C
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	80		\$2,553.00
N 016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE	-50	-50	(\$1,000.00)
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-101	900 SQUARE INCH ALUMINUM RADIATOR	15		N/C
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$92.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			N/C

Transmission

342-1KD	ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	\$9,059.00
---------	--	-----	----	------------

Transmission Equipment

343-331	ALLISON VOCATIONAL PACKAGE 198 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS			N/C
84B-003	ALLISON VOCATIONAL RATING FOR FIRE TRUCK/EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP			\$125.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$125.00
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			\$254.00
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD

Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$242.00
403-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING			\$19.00
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS			STD
427-001	FRONT BRAKE DUST SHIELDS	5		\$102.00
409-006	FRONT OIL SEALS			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
536-050	TRW THP-60 POWER STEERING			STD
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-003	SYNTHETIC 40/50W FRONT AXLE LUBE			\$26.00
Front Suspension				
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	42		\$57.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equipment				
420-051	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		180	\$872.00
421-538	5.38 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			\$141.00
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$125.00
433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS			N/C
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			\$27.00
440-006	REAR OIL SEALS			STD
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			\$20.00
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
Rear Suspension				
622-003	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		120	(\$1,145.00)
621-001	SPRING SUSPENSION - NO AXLE SPACERS			N/C



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
623-005	FORE/AFT CONTROL RODS			N/C
Pusher / Tag Equipment				
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System				
018-002	AIR BRAKE PACKAGE			STD
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			\$388.00
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-012	AIR DRYER MOUNTED UNDER HOOD			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			\$82.00
Trailer Connections				
481-071	12 FOOT COILED TRAILER AIR HOSE WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12		\$5.00
476-001	18 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE TRAILER AIR HOSE HANGER	2		N/C
484-006	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
297-132	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED BACK OF CAB/BACK OF SLEEPER			N/C
308-020	SUPPLEMENTAL TRAILER WIRING WITH CENTER PIN IGNITION			\$11.00
331-013	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE BACK OF CAB/BACK OF SLEEPER			\$67.00
1AZ-007	INBOARD FLAG BRACKET LOCATED AT BACK OF CAB/BACK OF SLEEPER			N/C



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	310-081	12 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12		\$25.00
	309-002	12 FOOT DETACHABLE STRAIGHT SUPPLEMENTAL TRAILER ELECTRICAL CABLE; ISO 3731 7-WAY	10		\$57.00
Wheelbase & Frame					
	545-482	4825MM (190 INCH) WHEELBASE			N/C
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	50	100	\$135.00
N	552-140	950MM (37 INCH) REAR FRAME OVERHANG			N/C
	55W-003	FRAME OVERHANG RANGE: 31 INCH TO 40 INCH	30	-120	N/C
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 77.17 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 72.97 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 266.34 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 171.46 in			N/C
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 90.96 in			N/C
	553-002	FLANGED TAPERED END OF FRAME			N/C
	550-001	FRONT CLOSING CROSSMEMBER			STD
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	572-020	INVERTED U TRACTOR CROSSMEMBER		10	\$20.00
	565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment					
	674-001	LH BACK OF CAB ACCESS	5	5	N/C
	592-053	14 INCH (350MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	5	5	N/C
	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		\$370.00
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$74.00
	574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE			STD
	585-042	BETTS B-25 PAINTED MUDFLAP BRACKETS		15	N/C
	590-001	BLACK MUDFLAPS		15	N/C



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fifth Wheel				
578-1W2	FONTAINE 7000 SERIES 7PML FLAT PLATE MOUNT STATIONARY FIFTH WHEEL	30	345	(\$69.00)
577-203	FIFTH WHEEL 203MM (08.0 INCHES) AHEAD OF SUSPENSION CENTERLINE			N/C
582-007	184MM (7.25 INCH) FIFTH WHEEL HEIGHT			N/C
570-004	PLATE MOUNT - FIFTH WHEEL MOUNTING			N/C
579-003	SIDE LEFT FIFTH WHEEL RELEASE			N/C
Fuel Tanks				
206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	20	15	\$607.00
204-998	NO LH FUEL TANK	-60	-20	(\$444.00)
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1J1	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"	-5		\$59.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1G4	MICHELIN XZE2 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$134.00)
094-2DE	MICHELIN X MULTI ENERGY D 11R22.5 14 PLY RADIAL REAR TIRES		80	\$56.00
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
Wheels				
502-735	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-64		\$322.00
505-736	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-128	\$644.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-079	154 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB	430	250	\$12,419.00
650-008	AIR CAB MOUNTING			\$97.00
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			\$36.00
678-998	NO GRAB HANDLES			(\$55.00)
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE			\$159.00
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$43.00
644-004	FIBERGLASS HOOD			STD
690-002	TUNNEL/FIREWALL LINER			STD
726-002	DUAL ELECTRIC HORNS			\$10.00
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-088	LED HEADLIGHT ASSEMBLY AND INCANDESCENT MARKER/TURN LAMP WITH CHROME BEZEL			\$848.00
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
311-001	DAYTIME RUNNING LIGHTS			STD
294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	\$120.00
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$133.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
73A-002	REAR REFLECTIVE DEVICE			N/C
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
654-011	RH AND LH ELECTRIC POWERED WINDOWS			\$162.00
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD			STD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
Cab Interior				
055-017	PROFESSIONAL TRIM PACKAGE			STD
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"			STD
70K-016	CARBON WITH BASE BLACK ACCENT			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET			\$42.00
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-029	M2/SD DASH			STD
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		\$37.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-033	STANDARD INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B2	PREMIUM LED CAB LIGHTING			(\$10.00)
787-998	NO SECURITY DEVICE			(\$300.00)
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-004	KEY QUANTITY OF 4			\$18.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		\$24.00
	756-336	BASIC ISRI HIGH BACK NON SUSPENSION DRIVERS SEAT W/FORE & AFT ADJUSTMENT			STD
	760-209	SEATS INC 911 UNIVERSAL SERIES HIGH BACK AIR SUSPENSION PASSENGER SEAT	45	20	\$382.00
	762-086	SEATS INC 911 UNIVERSAL SCBA NON SUSPENSION LH AND RH REAR PASSENGER SEATS WITH UNDER SEAT STORAGE AND NFPA 1901-2009/2016 COMPLIANT SEAT SENSOR	140	40	\$1,109.00
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
	758-1AK	BLACK VINYL DRIVER SEAT COVER			STD
	761-150	BLACK WITH GRAY INSERT MORDURA CLOTH PASSENGER SEAT			\$34.00
	755-1AK	BLACK VINYL REAR PASSENGER SEAT COVER			N/C
N	763-102	HIGH VISIBILITY ORANGE SEAT BELTS			\$52.00
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			STD
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

	734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			(\$55.00)
	87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			N/C
	870-001	BLACK GAUGE BEZELS			STD
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
	149-998	NO SPEED CONTROL			(\$55.00)
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
	844-001	2 INCH ELECTRIC FUEL GAUGE			STD
	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
	48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			\$77.00
	4C0-998	NO ADDITIONAL EXTRA SWITCH ACCUATORS			STD
	48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			N/C
	163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			N/C
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			\$30.00
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
N	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$40.00
	736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
	72J-998	NO DR ASSIST SYSTEM			(\$32.00)
	49B-004	ELECTRONIC STABILITY CONTROL			N/C
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
	35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10		\$154.00
	746-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939	10		N/C
	747-001	DASH MOUNTED RADIO			STD
	750-002	(2) RADIO SPEAKERS IN CAB			STD
	753-998	NO AM/FM RADIO ANTENNA			(\$47.00)
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			\$18.00
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			\$55.00



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
75W-002	SHARKFIN MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS			\$108.00
78C-003	INTEROPERABLE SDAR ANTENNA			\$85.00
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			STD
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL			STD
482-001	BW TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD

Design

065-000	PAINT: ONE SOLID COLOR	STD
---------	------------------------	-----

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY	STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	STD
969-998	NO CAB/BODY EXTERIOR DECALS	STD
963-003	STANDARD E COAT/UNDERCOATING	STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

T O T A L V E H I C L E S U M M A R Y

Adjusted List Price

Adjusted List Price ** \$156,642.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	7494 lbs	4452 lbs	11946 lbs
Total Weight ⁺	7494 lbs	4452 lbs	11946 lbs

**I T E M S N O T I N C L U D E D I N A D J U S T E D L I S T
P R I C E**

Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS	\$555.00
PNV-998	NO CARB24 PRICING IMPACT	N/C
RAC-42N	M2/SD PLUS ESCALATOR	\$750.00
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
RAU-025	MY25 ESCALATOR	\$1,500.00
RFY-022	FRONT TIRE SURCHARGE	\$130.00
RFU-022	REAR TIRE SURCHARGE	\$260.00
P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



NCSA Contract#24-08-0421
Freightliner M2-106

Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Extended Warranty

WAG-073	TOWING: 6 MONTHS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES	\$115.00
---------	---	----------

Currency Exchange Rate	1.0000
------------------------	--------

Total Extended Warranty (Local Currency)	\$115.00
--	----------

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

